

### Contents

1.	iMin Devices	1
	Tablet POS	3
	Desktop POS	9
	Mobile POS	21
	Scanner 2	27
	Self-ordering Kiosk	29
	Kitchen Display System	31
2	iMin Platform	<b>3</b> 7

### iMin Devices



### **Tablet POS**

### Falcon 1 / D1 / D1 Pro



10.1"/13.3" Two Screen Options 1280x800 / 1920x1080 Camera / Printer NFC / Wi-Fi / BT 4.2+ / LTE



### **Desktop POS**

Swan 1 / Swan1 Pro / D2 / D3 / D4 / D4 Pro



15.6"/10.1" 1920x1080 / 1280x800 Printer / Wi-Fi / BT 5.2 / NFC (Swan 1 Optional)



### Mobile POS





NFC / BT 4.2 / WiFi / LTE 58mm Printer 5.0MP AF (M2 / M2 Max)

0.3MP Front Camera, 5.0MP Rear Camera (Swift 1)



### Kiosk



Scanner / NFC / WiFi / BT 4.2 Payment Terminal Bracket





### Scanner

#### X1



Beeper Camera 0.3M







21.5" / 15.6" 1920x1080 WiFi / BT 4.2

### **Product Features**



### Quality

iMin pursues quality in everything we do, from thoughtful design to effective technology.

### Durable

From component selection to product testing, we inspect every step of the process rigorously. All our products can be used safely and reliably.



# 12:23 12:23

### Intelligent

We continuously upgrade our product technology to remain competitive and lead global markets.



### iMin Falcon 1

### **Tablet POS**

The Falcon 1 is a wholesome solution to any business's POS problems. With an all-in-one design encompassing an 80mm thermal printer, NFC payment options and a 15% increase in CPU performance, say goodbye to the clutter of devices on your countertop.





### Secure your next sale with iMin Falcon 1.

With the Falcon 1, you literally need just one device.



### Display

10.1", 1280 x 800 display screen Android 11 series supported



### **Printing**

Seiko thermal printer with automatic cutter & printing speed of up to 250mm/s



#### **Connection Ports**

Multiple Peripheral Ports to support any attachments











Processor	Dual-Core ARM Cortex - A75, up to 2.0GHz and	Memory	2GB RAM + 16GB ROM (NFC)
	Six-Core ARM Cortex - A55, up to 2.0GHz		4GB RAM + 32GB ROM (NFC)
Operating System	Android 11 series iMin UI	Display	10.1" 1280 x 800 and 2.4" LED Screen
Touch Panel	Multi-point Capacitive Touch Panel	Power Adapter	Input: 100 ~ 240V; Output: 24V / 2.5A
Connectivity	Ethernet: 100M,	Camera	0.3M FF,
	Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz)		Support 1D Barcode / 2D QR Scanning
	Bluetooth 5.0, 2G/3G/4G LTE, GPS, NFC (Optional)		
Speaker	1.5W Mono	Button	Power key, Vol+/Vol- key
Printer	High speed printing, up to 250mm/s,	Peripheral Ports	Type-A x 2, DC Jack x 1
	With automatic cutter,		Nano Sim x 1, PSAM x 1, TF Card x 1,
	80mm in width & 80mm in diameter		RJ11 x 1, RJ12 x 1, RJ45 x 1
Environment	80mm in width & 80mm in diameter  Operating temperature: 0 ~ 40°C	Certification	RJ11 x 1, RJ12 x 1, RJ45 x 1  FCC CE IMDA WEEE
Environment		Certification	· · ·

<sup>\*</sup> The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.

The product can only run on power banks with certain technical specifications. The product is sold without the portable charger.



### iMin D1

**Tablet POS** 

The iMin D1, the new generation of all-in-one POS device. High touchscreen responsiveness, speed, and performance.





### Secure your next sale with iMin D1.

Powerful hardware for effortless business usage.



### Display

1280 x 800 HD screen resolution ensures clarity for your customers



#### Printer


Built-in 58mm Seiko High Speed Printer for fast and accurate printing



#### NFC

Compatible to support contactless payments











Processor	Dual-Core ARM Cortex - A75, up to 1.8GHz and Six-Core ARM Cortex - A55, up to 1.8GHz	Memory	2GB RAM + 16GB ROM 2GB RAM + 16GB ROM (NFC)
Operating System	Android 11 series iMin UI	Display	10.1" 1280 x 800 and 2.4" LED Screen
Touch Panel	Multi-point Capacitive Touch Panel	Power Adapter	Input: 100 ~ 240V; Output: 24V / 1.5A
Connectivity	Ethernet: 100M, Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz) Bluetooth 5.0, 4G, NFC (Optional)	Camera	0.3M FF, Support 1D Barcode / 2D QR Scanning
Speaker	1.5W Mono	Button	Power key, Vol +/- Key, Reset key
Printer	High speed printing, up to 100mm/s, 58mm in width & 40 in diameter	Peripheral Ports	Nano Sim x 2, Type-A x 2, RJ12 x 1, RJ45 x 1
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Certification	FCC CE IMDA WEEE
Dimensions	250 x 168 x 80mm	Weight	900g

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.



### iMin D1 Pro

### **Tablet POS**

The iMin D1 Pro. Optimise your prime countertop real estate – the D1 Pro's larger and clearer screen display helps you to connect with your customers better.





### Secure your next sale with iMin D1 Pro.

Powerful hardware for effortless business usage.



### Display

1920 x 1080 FHD screen resolution for detailed, beautiful, and crisp images



#### **NFC**

Compatible to support contactless payments



#### Printer

Built-in 58mm Seiko High Speed Printer for fast and accurate printing











Processor	Dual-Core ARM Cortex - A75, up to 1.8GHz and Six-Core ARM Cortex - A55, up to 1.8GHz	Memory	4GB RAM + 16GB ROM 4GB RAM + 16GB ROM (NFC)
Operating System	Android 11 series iMin UI	Display	13.3" 1920 x 1080 and 2.4" LED Screen
Touch Panel	Multi-point Capacitive Touch Panel	Power Adapter	Input: 100 ~ 240V; Output: 24V / 1.5A
Connectivity	Ethernet: 100M, Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz) Bluetooth 5.0, 4G, NFC (Optional)	Camera	0.3M FF, Support 1D Barcode / 2D QR Scanning
Speaker	1.5W Mono	Button	Power key, Vol +/- Key, Reset key
Speaker Printer	1.5W Mono  High speed printing, up to 100mm/s, 58mm in width & 50 in diameter	Button Peripheral Ports	Power key, Vol +/- Key, Reset key  Nano Sim x 2, Type-A x 4,  RJ12 x 1, RJ45 x 1
•	High speed printing, up to 100mm/s,		Nano Sim x 2, Type-A x 4,

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.





### iMin Swan 1 Pro


### **Desktop POS**

Our award winning iMin Swan 1 just got upgraded - with a computing performance of up to four times faster, sharper graphics and a high resolution camera sensor of up to 32 MP and 30 frames per second.





Product Design 2023



### Secure your next sale with iMin Swan 1 Pro.

Facilitate a unique and smooth checkout experience for your customers.



### Display

15.6" main IPS display with thin bezel design and 170 degree viewing angle for quality graphics with a full metal finish.



#### Various Forms

Detachable Dual-screen display option that provides many possibilities for your business.



### More capabilities

Built-in NFC module on secondary display to provide a seamless payment process.













Display	Main Display: 15.6" 1920 x 1080 Secondary Display: 10.1" 1280 x 800	Memory	4GB RAM + 64GB ROM 8GB RAM + 128GB ROM
Processor	Octa-Core ( Dual-Core Arm Cortex-A78 2.2GHz, Hexa-Core Arm Cortex-A55 2.0Hz)	Operating System	Android 13 series iMin UI
Power Adapter	Input: 100 ~ 240V, Output: 24V / 1.5A	Speaker	1.5W Mono
Connectivity	Ethernet: 1000M, Bluetooth 5.2 Wi-Fi: 802.11 a/b/g/n/ac/ax (2.4GHz/5GHz)	TF Card	Up to 128G
Touch Panel	10 Point Capacitive Touch Panel; Secondary Display (Sold Separately): Multi-point Capacitive Touch Panel (Optional) NFC (Optional)	Peripheral Ports	Type_A 2.0 x 2, Type_A 3.0 x 1,  RJ12 x 1, RJ11 x 1, RJ45 x 1,  DC Jack x 1, TF Card x 1,  Port to Connect Secondary Display
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -20 ~ 60°C	Certification	FCC CE IMDA WEEE
Dimensions	363.8 x 185 x 300mm	Weight	Dual Display: 3.23Kg Single Display: 2.65Kg

<sup>\*</sup> The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.






### iMin Swan 1 **Desktop POS**

iMin Swan 1 is the perfect piece of POS hardware for your business. Designed to blend into any business environment, it is the perfect embodiment of minimalism and class.





DESIGN AWARD 2023 Product Design 2023



### Secure your next sale with iMin Swan 1.

Facilitate a unique and smooth checkout experience for your customers.



### Display

15.6" main IPS display with thin bezel design and 170 degree viewing angle for quality graphics with a full metal finish.



#### Various Forms

Detachable Dual-screen display option that provides many possibilities for your business.



### More capabilities

Built-in NFC module on secondary display to provide a seamless payment process.











Display	Main Display: 15.6" 1920 x 1080 Secondary Display: 10.1" 1280 x 800	Memory	2GB RAM + 16GB ROM 4GB RAM + 32GB ROM
Processor	Quad-Core ARM Cortex-A55, 2.0GHZ	Operating System	Android 11 series iMin UI
Power Adapter	Input: 100 ~ 240V, Output: 24V / 1.5A	Speaker	1.5W Mono
Connectivity	Ethernet: 1000M, Bluetooth 4.2 Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz)	TF Card	Up to 128G
Touch Panel	Multi-point Capacitive Touch Panel; Secondary Display (Sold Separately): Multi-point Capacitive Touch Panel (Optional) NFC (Optional)	Peripheral Ports	Type_A 2.0 x 2, Type_A 3.0 x 1,  RJ12 x 1, RJ11 x 1, RJ45 x 1,  DC Jack x 1, TF Card x 1,  Port to Connect Secondary Display
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Certification	FCC CE IMDA WEEE
Dimensions	363.8 x 185 x 300mm	Weight	Dual Display: 3.23Kg Single Display: 2.65Kg

<sup>\*</sup> The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.


The secondary display and accessories (display cable extension) are sold separately according to user needs.



# iMin D2 Desktop POS

The iMin D2 sits snugly on your countertop, yet punches above its weight to perform all the functions of a larger device.





### Secure your next sale with iMin D2.

A business powerhouse that saves your countertop space.



### Display

Compact enough to fit onto your countertop



### Rotary

Multi-angle rotary hinge allows you to tilt the screen up to 105 degrees vertically



#### Stand

Thoughtfully crafted stand features a hole to thread your cables through, for a clean and minimal countertop









Display	10.1" 1280 x 800	Memory	RAM: 2GB / 4GB ROM: 8GB / 16GB / 32GB
Processor	Quad-Core, Cortex - A55, up to 1.8GHz	Touch Panel	Multi-point Capacitive Touch Panel
Operating System	Android 11 series iMin UI	Power Adapter	Input: 100 ~ 240V; Output: 24V / 1.5A
Connectivity	Ethernet: 1000M, Wi-Fi: 802.11 b/g/n (2.4GHz) Bluetooth 4.2	Speaker	1.5W Mono
Peripheral Ports	USB Type-A x 4, Micro USB x 1, RJ11 x 1, RJ12 x 1, RJ45 x 1, 3.5mm Audio Jack x 1, TF Card x 1, DC Jack x 1	Button	Power key, Reset key
TF Card	Up to 128G	Certification	FCC CE IMDA
Dimensions	252 x 154 x 250mm	Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C
Weight	1.85Kg		

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.




### iMin D3

**Desktop POS** 

The iMin D3 has three screen configuration options, customisable to your business needs. Best for businesses looking for a sleek and minimal POS system which takes up less space.





### Secure your next sale with iMin D3.

Manage your queue, order and transactions easily with D3.

D3-504

Display: 15.6"

Display: 15.6"(FHD) 1920x1080



D3-505

Display: 15.6" + 10.1" Main Display: 15.6"(FHD) 1920x1080 Secondary Display: 10.1"(WXGA) 1280x800











Processor	Quad-Core, Cortex - A55, up to 2.0GHz	Memory	RAM: 2GB / 4GB ROM: 8GB / 16GB / 32GB
Operating System	Android 11 series iMin UI	Touch Panel	10 Point Capacitive Touch Panel
Power Adapter	Input: 100 ~ 240V; Output: 24V / 1.5A	Speaker	1.5W Mono
Connectivity	Ethernet: 1000M, Wi-Fi: 802.11 b/g/n (2.4GHz) Bluetooth 4.1	Peripheral Ports	USB Type-A x 4, Micro USB x 1, RJ11 x 1, RJ12 x 1, RJ45 x 1, 3.5mm Audio Jack x 1, TF Card x 1, DC Jack x 1
Button	Power key, Reset key	TF Card	Up to 128G
Certification	FCC CE IMDA	Dimensions	382 x 232 x 412mm
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Weight	3.2Kg

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.


<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.

### **i**Min

### iMin D4 Pro Desktop POS

Introducing the ultimate powerhouse in performance and processing - the iMin D4 Pro is upgraded with a new processor to unravel your complex transactions and speed up your daily tasks by four times.





### Secure your next sale with iMin D4 Pro.

A reliable companion to scale your business with.



D4 Pro - 503

Display: 15.6"

Display: 15.6"(FHD) 1920x1080



#### D4 Pro - 504

Display: 15.6" + 10.1"

Main Display: 15.6"(FHD) 1920x1080 Secondary Display: 10.1" 1280x800



D4 Pro - 505


Display: 15.6" + 15.6"

Main Display: 15.6"(FHD) 1920x1080 Secondary Display: 15.6"(FHD) 1920x1080













Processor	Octa-Core ( Dual-Core Arm Cortex-A78 2.2GHz, Hexa-Core Arm Cortex-A55 2.0Hz)	Memory	4GB RAM + 64GB ROM 8GB RAM + 128GB ROM
Operating System	Android 13 series iMin UI	Touch Panel	10 Point Capacitive Touch Panel
Power Adapter	Input: 100 ~ 240V; Output: 24V / 2.5A	Speaker	1.5W Mono
Connectivity	Ethernet: 1000M, Wi-Fi: 802.11 a/b/g/n/ac/ax (2.4GHz/5GHz) Bluetooth 5.2	Button	Power key, Reset key
Printer	High speed printing, up to 250mm/s, With automatic cutter, 58mm/80mm in width & 80mm in diameter	Peripheral Ports	USB Type-A x 5, Type-C x 1,  RJ11 x 1, RJ12 x 1, RJ45 x 1,  3.5mm Audio Jack x 1,  TF Card x 1, DC Jack x 1
TF Card	Up to 128G	Certification	FCC CE IMDA
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -20 ~ 50°C	Dimensions	380 x 195 x 407mm
Weight	6.3Kg		

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.


<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.

### iMin

# iMin D4 Desktop POS

The iMin D4 is a high-performance desktop POS with up to 3 customisable screen size combinations to serve your customers better.





### Secure your next sale with iMin D4.

A reliable companion to scale your business with.



D4-503

Display: 15.6"

Display: 15.6"(FHD) 1920x1080



#### D4-504

Display: 15.6" + 10.1"

Main Display: 15.6"(FHD) 1920x1080 Secondary Display: 10.1" 1280x800



#### D4-505

Display: 15.6" + 15.6"

Main Display: 15.6"(FHD) 1920x1080 Secondary Display: 15.6"(FHD) 1920x1080











Processor	Quad-Core, Cortex - A55, up to 2.0GHz	Memory	RAM: 2GB / 4GB ROM: 8GB / 16GB / 32GB
Operating System	Android 11 series iMin UI	Touch Panel	10 Point Capacitive Touch Panel
Power Adapter	Input: 100 ~ 240V; Output: 24V / 2.5A	Speaker	1.5W Mono
Connectivity	Ethernet: 1000M, Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz) Bluetooth 5.0	Button	Power key, Reset key
Printer	High speed printing, up to 250mm/s, With automatic cutter, 58mm/80mm in width & 80mm in diameter	Peripheral Ports	USB Type-A x 5, Type-C x 1, RJ11 x 1, RJ12 x 1, RJ45 x 1, 3.5mm Audio Jack x 1, TF Card x 1, DC Jack x 1
TF Card	Up to 128G	Certification	FCC CE IMDA
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Dimensions	380 x 195 x 407mm
Weight	6.3Kg		

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.



### iMin Swift 1

Mobile POS

Possess speed at your fingertips with iMin Swift 1 – the essential mobile POS companion for any business, anywhere in the world.



red<mark>dot</mark> winner 2023 Product Design 2023



### Secure your next sale with iMin Swift 1.

Or your next scan, or your next print job. Swift 1's versatility covers all the bases.



### Display

6.5", 720 x 1600 display screen with an ultra thin bezel design.



### Scanning

Processes 1D/2D scanning almost instantly in under 0.3 seconds.




iMin Swift 1 is your everyday POS but with a modular twist. With its innovative design, you can rest assured that this device will meet all your

business and economic requirements.

### Printing

Print with a speed of up to 100mm/s.











Display	6.5", 720 x 1600 Multi-point Capacitive Touch Panel	Memory	2GB RAM + 16GB ROM 2GB RAM + 16GB ROM (NFC) 4GB RAM + 32GB ROM (NFC)
Processor	Octa-Core, 8 x A55, 1.6GHz	Power Adapter	Input: 100 ~ 240V; Output: 5V / 2A
Operating System	Android 11 series iMin UI	Camera	0.3 MP front camera, 5 MP rear camera
Connectivity	Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz) Bluetooth 5.0, 2G/3G/4G LTE, NFC (Optional)	Peripheral Ports	Nano SIM x 1, TF Card x 1 USB Type-C x 1, Pogo pin (6 pin)
Swift 1 Printer	High speed printing, up to 100mm/s, 58mm in width & 40mm in diameter	Swift 1 Scanner	Support 1D Barcode / 2D QR Scanning
Button	Power key, Vol+/Vol- key	Battery	Capacity: 2550mAh/7.6V/19.38Wh
Speaker	0.8W Mono	Certification	FCC CE IMDA WEEE
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Drop Test	1.2m
Weight	PDA: 245g Swift 1 Printer: 135g Swift 1 Scanner: 50g	Dimensions	PDA: 77 X 162 X 11mm Swift 1 Printer: 86.5 x 98 x 47.6mm Swift 1 Scanner: 92 X 57 X 25mm

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.

<sup>\*</sup>The printer module and scanner module are sold separately according to user needs.



### iMin M2 Series

Mobile POS

The iMin M2 series comes with more functions to power your business. Use it independently to manage your reservations, table bookings, print orders, QR scanning and more.





### Secure your next sale with iMin M2 series.

Streamlined for maximum efficiency and high functionality in one compact device.



### Display

Multi-point capacitive touch panel which works effectively even on the smaller screen size



#### Chargeable

Compatible with charging base



### Printer

Built-in 58mm Japan Seiko High Speed Printer works quickly and precisely











Processor	M2-203: Quad-Core ARM Cortex-A53 1.3GHz M2 Pro: Octa-Core 1.8GHz, Dual*A75 and Hexa*A55	Memory	1GB RAM + 8GB ROM 2GB RAM + 16GB ROM 2GB RAM + 16GB ROM (NFC)
Operating System	M2-203: Android 8.1 iMin UI, M2 Pro: Android 11 series iMin UI	Display	5.5″ 720 x 1280
Touch Panel	Multi-point Capacitive Touch Panel	Power Adapter	Input: 100 ~ 240V; Output: 5V / 2A
Connectivity	Bluetooth 4.2, GPS/GSM/4G LTE, NFC (Optional)	Wi-Fi	M2-203: 802.11 a/b/g/n 2.4GHz/5GHz M2 Pro: 802.11 a/b/g/n ac 2.4GHz/5GHz
Camera	5.0M AF, Support 1D Barcode / 2D QR Scanning	Battery	Capacity: 2600mAh/7.4V/19.24Wh
Button	Power key, Vol +/- Key	Speaker	1.5W Mono
Printer	High speed printing, up to 100mm/s, 58mmmm in width & 40mm in diameter	Peripheral Ports	USB Type-C x 1(Support OTG), 3.5mm Audio Jack x 1, Micro SIM x 1, TF Card x 1 (Up to 64GB), POGO PIN (6 PIN)
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Certification	FCC CE IMDA
Dimensions	207.5 x 82 x 30.5mm	Weight	435g

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.



# iMin M2 Max Mobile POS

The M2 Max's large screen and high processing power helps businesses meet their fast-paced demands.







### Secure your next sale with iMin M2 Max.

Take things to the max with us.



### Display

8", 800 x 1280 touch screen maximises screen clarity for enhanced performance



### **Battery**

2600mAh / 7.4v built-in battery powers up your business



#### Printer

Built-in 58mm Japan Seiko High Speed Printer means your customers never have to wait











Processor	Octa-Core 1.8GHz, Dual*A75 and Hexa*A55	Memory	2GB RAM+16GB ROM, 2GB RAM+16GB ROM (NFC) 4GB RAM+16GB ROM, 4GB RAM+16GB ROM (NFC)
Operating System	Android 11 series iMin UI	Display	8" 800 x 1280
Touch Panel	Multi-point Capacitive Touch Panel	Power Adapter	Input: 100 ~ 240V; Output: 5V / 2A
Connectivity	Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz) Bluetooth 5.0, GPS / GSM / 4G LTE, NFC (Optional)	Camera	0.3M FF, Support 1D Barcode / 2D QR Scanning
Speaker	1.5W Mono	Battery	Capacity: 2600mAh/7.4V/19.24Wh
Button	Power key, Vol +/- Key, Reset key	TF Card	Up to 64G
Printer	High speed printing, up to 100mm/s, 58mm in width & 40mm in diameter	Peripheral Ports	USB Type-A x 1, Nano Sim x 1, TF Card x 1, USB Type-C x 1 (Support OTG)
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Certification	FCC CE IMDA
Dimensions	212 x 132 x 76mm	Weight	598g

<sup>\*</sup> The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.


The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.



### iMin X1 Scanner

The iMin X1 is compatible with any desktop POS for payment. An interactive and convenient device which responds quickly to prompts.





### Secure your next sale with iMin X1.

The perfect booster shot for any POS device.



#### Delicate

Plug and play device



#### Camera


1/6.5" Sensor with 82 degrees wide scanning angle lens



### Scanning

Rapid scanning in under 0.3 seconds









Processor	32Bit CPU 1GHz	Operating System	Linux/Windows/iOS/Android
Memory	32Mb Flash	Speaker	Beeper
Precision	≥10mil	Camera	0.3M, FF
Sensor	CMOS	Power	5V ±0.5V
Connectivity	HID keypad protocol	Light	LED Light
Scanner	2D:QR code, 1D:Code 128, UPC-A, EAN-8, ISBN, GSE 128	Size	Diameter 82mm, Height 117mm
Certification	IMDA CE	Weight	230g

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.


<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.





### iMin S1 Self-ordering Kiosk

iMin's S1 self-order POS is an intelligent business solution which frees your staff to attend to more pressing matters.



### Secure your next sale with iMin S1.

Connect with your customers effortlessly.



### Large Screen Display

21.5", 1080 x 1920 display screen with an ultra thin bezel design



#### NFC / Scanner


Processes 1D/2D scanning almost instantly in under 0.3 seconds (NFC compatible)



### **Printing**

Print with a speed of up to 250mm/s.











Display	21.5" 1080 x 1920	Memory	RAM: 2GB / 4GB ROM: 16GB / 32GB
Processor	Quad-Core, Cortex - A55, up to 2.0GHz	Touch Panel	Multi-point Capacitive Touch Panel
Operating System	Android 11 series iMin UI	Camera	5.0M
Scanner	1D / 2D Code	Power	Input: 100 ~ 240V
Connectivity	Ethernet: 1000M, Wi-Fi: 802.11 b/g/n/ac (2.4GHz/5GHz) Bluetooth 5.0, NFC (Optional)	Speaker	3W Mono
Peripheral Ports	USB Type-A x 4, Type-C x 1, RJ11 x 1, RJ45 x 1, TF Card x 1, DC Jack x 1	Functional Module	80mm Printer Scanner Financial Payment Terminal Supported
TF Card	Up to 128G	Button	Power key, Reset key
Dimensions	Device: 805.5 x 348 x 100mm; Stand: 625 x 500 x1106mm	Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C
Certification	FCC CE IMDA WEEE	Weight	15Kg

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.

## iMin Swan 1k

Primed to survive the environment of any kitchen, the all-new Swan 1k is ready to take any kitchen to the next level. With a full-metal build and slim body, the elegant device is ready to help your business forge smooth workflows.





### Secure your next sale with iMin Swan 1k.

The perfect mix of elegance, function and durability.

### Display

15.6" Full HD Screen 1920 x 1080




### Wall Mount

Universal Vesa Mount













Peripheral Ports

Processor	Quad-Core ARM Cortex-A55, 2.0GHZ	Memory	2GB RAM + 16GB ROM
Touch Panel	Multi-point Capacitive Touch Panel	Operating System	Android 11 series iMin UI
Display	15.6" 1920 x 1080	Power Adapter	Input: 100 ~ 240V; Output: 24V / 1.5A
Speaker	1.5W Mono	TF Card	Up to 128G
Connectivity	Ethernet: 1000M,	Peripheral Ports	Type_A 2.0 x 2, Type_A 3.0 x 1,
	Bluetooth 4.2		RJ12 x 1, RJ11 x 1, RJ45 x 1,
	Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz)		DC Jack x 1, TF Card x 1
Environment	Operating temperature: 0 ~ 40°C	Certification	FCC CE IMDA WEEE
	Storage temperature: -10 ~ 50°C		
Dimensions	363.8 x 230 x 43.5mm	Weight	1.2Kg

<sup>\*</sup> The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.


The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.

### **iMin**

# iMin K1

iMin's K1 reinvents the traditional kitchen order process and retrieves tickets submitted by the POS system automatically.





### Secure your next sale with iMin K1.

Working in a kitchen has never been easier.



### Large Screen Display

21.5 inch HD display for an immersive view with vibrant colourisation



#### Seamless communication


Support multiple ports and compatible with Wi-Fi & Bluetooth



#### Wall Mount

Optimized for kitchen usage with oil and smoke resistance









Display	21.5" 1920 x 1080	Memory	RAM: 2GB / 4GB ROM: 8GB / 16GB / 32GB
Processor	Quad-Core, Cortex - A55, up to 2.0GHz	Touch Panel	Multi-point Capacitive Touch Panel
Operating System	Android 11 series iMin UI	Power Adapter	Input: 100 ~ 240V; Output: 24V / 2.5A
Connectivity	Ethernet: 1000M, Wi-Fi: 802.11 a/b/g/n/ac (2.4GHz/5GHz) Bluetooth 5.0	Peripheral Ports	USB Type-A x 4, Type-C x 1,  RJ11 x 1, RJ12 x 1, RJ45 x 1,  HDMI x 1, 3.5mm Audio Jack x 1,  TF Card x 1, DC Jack x 1
Speaker	3W Mono	Button	Power key, Reset key
TF Card	Up to 128G	Certification	CE IMDA
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Dimensions	522 x 319 x 42mm
Weight	6.5Kg		

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.


<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.

### **iMin**

# iMin K2

iMin's K2 confirms order completion for the back kitchen, enabling chefs and servers to efficiently plan for food preparation and service.





### Secure your next sale with iMin K2.

Never miss or mess up an order, ever again.

### Display

Multi capacitive touch screen




#### Wall Mount

Reliable and cost-efficient Simplified with space-saving design











**Connection Ports** 


Display	15.6"(FHD) 1920×1080	Memory	2GB RAM + 16GB ROM
Processor	Quad-Core Cortex-A55,up to 2.0GHz	Touch Panel	10 Point Capacitive Touch Panel
Operating System	Android 11 series iMin UI	Power Adapter	Input: 100 ~ 240V; Output: 24V / 1.5A
Connectivity	Ethernet: 1000M, Wi-Fi: 802.11 b/g/n (2.4GHz) Bluetooth 4.2	Peripheral Ports	USB Type-A x 4, Micro USB x 1, RJ11 x 1, RJ12 x 1, RJ45 x 1, 3.5mm Audio Jack x 1, TF Card x 1, DC Jack x 1
Speaker	1.5W Mono	Button	Power key, Reset key
TF Card	Up to 128G	Certification	FCC CE IMDA
Environment	Operating temperature: 0 ~ 40°C Storage temperature: -10 ~ 50°C	Dimensions	382 x 252 x 44mm
Weight	1.5Kg		

<sup>\*</sup>The product pictures and display contents in the above pages are for illustration purposes only. The actual product effects (including but not limited to appearance, color, size) and screen display contents (including but not limited to background UI pictures) might differ.

<sup>\*</sup>The performance results are obtained from iMin's internal laboratory and extracted from specific test environments. In actual use, there might be a difference in performance due to individual differences in product, software, use conditions and environmental factors.

### iMin Cloud Platform

The iMin UI is based on the Android operating system, which is specially designed for intelligent commercial devices. It ensures high performing systems with low-latency, real-time application monitoring, application beta-testing and more. It is also extremely safe as it prevents malicious installation by third parties.



### Equipment life cycle management

- Remote Application Lock
- 2 Remote Factory Reset

3 Send Messages

Check device status



- 6 Remote screen capture
- 6 Change Equipment Password


Erase Data

8 System Upgrade

### **Examples of iMin Platform Functions**

### 1. Remote monitoring and assistance

iMin platform enables remote viewing of device information, including serial number, memory usage, battery power, list of device applications etc. High quality of screen casting and voice connection facilitates debugging and equipment troubleshooting when necessary.






### **Examples of iMin Platform Functions**

### 2. iMin Store

Customise your own exclusive application market. Other third-party application software needs to be reviewed and confirmed by you. Restrict installation from any third-party application software, avoiding applications from competitors.




### **Examples of iMin Platform Functions**

### 3. Immediate Set-up

Upon the first boot-up, system configuration is quick and easy. The iMin Platform can also be used to ensure visual uniformity of devices for a more professional appearance.





### iMin Platform Summary

### iMin Store

- Grayscale Release
- Exclusive App Setting
- Default App Setting
- Auto Installation
- App Force Upgrade
- Notification Update


### System Customisation

- Kiosk Mode Setting
- Anti-uninstall
- Auto Start
- Starting Logo Setting
- Wallpaper Setting

### Remote Management

- Remote Assistance
- Device Status Checking
- Files Sending
- Data Log Retrieval
- Remote Restart/Shut Down
- Lock Device
- Device Manager
- Remote ADB Debugging

### iMin Device Applications











Instagram http://www.instagram.com/imin\_tech/
Facebook http://www.facebook.com/imintech

**LinkedIn** http://www.linkedin.com/company/imin-technology

Address: 11 Bishan Street 21 #03-05 Singapore 573943

**Tel:** +65 6741 3019 **E-mail:** sales@imin.sg

**URL:** www.imin.sg